



## Manual transmissions, double-clutch transmissions and automatic transmissions for cars

## List of lubricants TE-ML 11

### Manual transmissions

Product groups	Approved lubricants for service fills
S5-31 S5-39	According to spare part number of vehicle manufacturer: - Esso Gear Oil 304 => BMW Oil No. 2300 1434 404 - BP Castrol BOT 338 => BMW Oil No. 2300 7533 513
S6-37	According to spare part number of vehicle manufacturer: - Esso Gear Oil 304 => BMW Oil No. 2300 1434 404 (clutch bell housing label MTF-LT1) - BP Castrol BOT 338 => BMW Oil No. 2300 7533 513 (clutch bell housing label MTF-LT2) - BP Castrol BOT 207 => BMW Oil No. 2300 7533 818 (clutch bell housing label MTF-LT3) <b>Warning: use of incorrect lubricant can cause transmission failure</b>
S6-45	According to spare part number of vehicle manufacturer: - Pentosin FFL-3 => BMW Oil No. 8322 2167 666 (MTF-LT-5)
S6-53	According to spare part number of vehicle manufacturer: - Esso Gear Oil 304 => BMW Oil No. 2300 1434 404 (clutch bell housing label MTF-LT1) - BP Castrol BOT 338 => BMW Oil No. 2300 7533 513 (clutch bell housing label MTF-LT2) => VW Oil No. N 05279800 - BP Castrol BOT 207 => BMW Oil No. 2300 7533 818 (clutch bell housing label MTF-LT3) <b>Warning: use of incorrect lubricant can cause transmission failure</b>
6S530	According to spare part number of vehicle manufacturer: - BP Castrol BOT 338 => Nissan Oil No. 32001 1BY0A - Esso Gear Oil 304

#### Note:

Additives of any kind added **later** to the oil change the oil in a manner that is unpredictable, and they are therefore not permitted. No liability of any kind will be accepted by ZF for any damage resulting from the use of such additives.

The list of lubricants TE-ML 11, **Edition 01.07.2010** replaces all previous editions. The current list can be requested from any ZF after-sales service center or accessed on the Internet under [www.zf.com](http://www.zf.com).

**ZF Getriebe GmbH**  
Südring  
D-66117 Saarbrücken  
phone: + 49 681 920-2497  
fax: + 49 681 920-2388

**Double-clutch transmissions**

Product groups	Approved lubricants for service fills
7DT45HL 7DT45HLA 7DT45FL 7DT70HLA	According to spare part number of vehicle manufacturer: 1. Clutch component Pentosin FFL-3 => Porsche Oil No. 999.917.080.00 2. Transmission component ExxonMobil Mobilube PTX 75W-90 => Porsche Oil No. 999.917.067.00
7DT75 7DT75A	According to spare part number of vehicle manufacturer: Pentosin FFL-3 => Porsche Oil No. 999.917.080.00

**Note:**

Additives of any kind added **later** to the oil change the oil in a manner that is unpredictable, and they are therefore not permitted. No liability of any kind will be accepted by ZF for any damage resulting from the use of such additives.

**Automatic transmissions**

Product groups	Approved lubricants for service fills (For maintenance recommendations see page 4)
3HP22, 3HP22Q, 4HP14Q, 4HP18FL (1), 4HP18FLA (2), 4HP18FLE (1), 4HP18Q, 4HP18QE, 4HP22, 4HP22EH, 4HP22HL (3), 4HP24, 4HP24A (2)	Automatic Transmission Fluid (ATF) according to lubricant classes 11A / 11B => Refer to the following pages for approved commercial products or Automatic Transmission Fluid (ATF) based on mineral base fluids according to former Dexron-II / Dexron-III specification by General Motors. => without listing
5HP18	According to BMW oil pan fill aperture label: 1. without oil pan fill aperture label Automatic Transmission Fluid (ATF) according to lubricant class 11B => Refer to the following pages for approved commercial products 2. with oil pan fill aperture label (green plugs) ZF Lifeguardfluid5 (ZF No. S671 090 170) => BMW Oil No. 8322 9407807 <b>Warning: use of incorrect lubricant can cause transmission failure</b>
5HP30	According to spare part number of vehicle manufacturer: 1. Shell ATF LA-2634 => BMW Oil No. 8322 9407765 (oil pan fill aperture label) 2. ZF Lifeguardfluid5 (ZF No. S671 090 170) => BMW Oil No. 8322 9407807 (oil pan fill aperture label) => Rolls Royce Oil No. PL 31493PA <b>Warning: use of incorrect lubricant can cause transmission failure</b>
4HP20, 5HP19, 5HP19FL (1), 5HP19FLA (2), 5HP19HL (1), 5HP19HLA (2), 5HP24, 5HP24A (2)	According to spare part number of vehicle manufacturer: ZF Lifeguardfluid5 (ZF No. S671 090 170) => Audi / VW Oil No. G 052162 A1 / A2 / A6 => BMW Oil No. 8322 9407807 => Citroen Oil No. Z 000169756 => Jaguar Oil No. JLM 20238 => Mercedes Benz Oil No. A 0019892203 => Peugeot Oil No. Z 000169756 => Porsche Oil No. 999.917.547.00
6HP19, 6HP19X <b>not for</b> Audi Q7, 6HP21, 6HP21X, 6HP26, 6HP26X, 6HP26A61 <b>not for</b> vehicles equipped with Audi W12-engine (2), 6HP28, 6HP28X, 6HP28A61, 6HP32, 6HP32A (2), 6HP32X	According to spare part number of vehicle manufacturer: ZF Lifeguardfluid6 (ZF No. S671 090 255) => AML Oil No. 4G4319A509/AA/S => Audi /VW Oil No. G 055005 A1 / A2 / A6 => Bentley Oil No. PY112995PA => BMW Oil No. 8322 0142516 => Hyundai Oil No. 040000C90SG => Jaguar Oil No. Jaguar Fluid 8432 => Land Rover Oil No. TYK500050 => Maserati Oil No. 231603
6HP26A61 for vehicles with Audi W12-engine (2)	According to spare part number of vehicle manufacturer: ZF Lifeguardfluid6 Plus (ZF No. S671 090 281) => Audi / VW Oil No. G 055162 A1 / A2 / A6
6HP19A (2) 6HP19X for Audi Q7, 6HP28AF (2)	According to spare part number of vehicle manufacturer: ZF Lifeguardfluid8 (ZF No. AA00 601 304) => Audi / VW Oil No. G 060162 A1 / A2 / A6 ATF
8HP45 8HP55A (2) 8HP70 8HP90, 8HP90A (2)	According to spare part number of vehicle manufacturer: ZF Lifeguardfluid8 (ZF No. AA00 601 304) => Audi / VW Oil No. G 060162 A1 / A2 / A6 ATF => BMW Oil No. 8322 2152426

**Note footnotes and maintenance recommendations ZF automatic transmissions page 4.**

## Footnotes

- (1) Filling differential with transmission oil Castrol SAF-AG4 => Audi / VW Oil No. N 052145000, Porsche Oil No. 999.917.545.00)
- (2) Split oil supply front / rear axle differential:
  - Filling front axle differential with transmission oil Castrol SAF-AG4  
=> Audi / VW Oil No. N 052145000, Porsche Oil No. 999.917.545.00)
  - Filling rear axle differential with transmission oil Castrol SAF-AG4 Q (SAF-AG4 + 4% FM Additive)  
=> Audi / VW Oil No. G 055145 A2)
 Common oil supply front /rear axle differential:
  - Filling with transmission oil Castrol SAF-AG4 Q (SAF-AG4 + 4% FM Additive) => Audi / VW Oil No. G 055145 A2
- (3) Filling differential with transmission oil API GL-5, MIL-L-2105D, MIL-PRF-2105E, SAE J 3260, viscosity class SAE 75W-90 or SAE 90

## Note:

Additives of any kind added **later** to the oil change the oil in a manner that is unpredictable, and they are therefore not permitted. No liability of any kind will be accepted by ZF for any damage resulting from the use of such additives.

## Maintenance recommendations ZF automatic transmissions

<p><b>3/4-speed automatic transmissions:</b> ZF 3 and 4-speed automatic transmissions must be filled with approved ATF oils according to ZF list of lubricants TE-ML 11, lubricant class 11A / 11B or with mineral ATF oils according to the former Specification Dexron II / Dexron III by General Motors. For oil-change intervals consult the vehicle manufacturer's specifications.</p>
<p><b>5-, 6- and 8-speed as well as 4HP20 automatic transmissions:</b> ZF 5-, 6- and 8-speed as well as the ZF 4HP20 automatic transmissions are filled maintenance-free with specially developed partially synthetic ATF oils. Maintenance-free fills are intended for normal operating conditions. Especially driving at very high operating temperatures can result in accelerated aging or increased wear of ATF oils. It is recommended, in the event of severe operating conditions, such as:</p> <ul style="list-style-type: none"> <li>- frequent highway driving in top speed range,</li> <li>- offensive, sporty driving style,</li> <li>- frequent trailer operation,</li> </ul> <p>being above average, oil purification (oil change) on automatic transmissions is recommended between 80,000 km and 120,000 km, or 8 years, depending on the load.</p> <p>In each case, only released ATF oil may be used for oil changes. And oil changes must be performed in accordance with the relevant specifications.</p>
<p><b>The ZF automatic transmissions 5HP18 and 5HP30 are exceptions and must be filled differently depending on the version.</b></p>
<p><b>The oils released in each case are specified in the ZF Lubricants List TE-ML 11.</b></p>

## Lubricant class 11A

### Automatic Transmission Fluid (ATF)

#### Manufacturer (11A)

ACPA, ALEXANDRIA/E  
 AGIP SCHMIERTECHNIK GMBH, WÜRZBURG/D  
 ALEXANDRIA MINERAL OILS COMPANY, ALEXANDRIA/ET  
 AMALIE PETROQUIMICA, SL, MADRID/E  
 ANATOLIA MADENI YAG SAN. TIC. LTD.STI., ANKARA/TR  
 ARAL AG, BOCHUM/D  
 AVIA MINERALÖL-AG, MÜNCHEN/D  
 BLASER SWISSLUBE AG, HASLE-RÜEGSAU/CH  
 BP INTERNATIONAL, PANGBOURNE, READING/GB  
 BUCHER AG LANGENTHAL, LANGENTHAL/CH  
 CASTROL INTERNATIONAL, PANGBOURNE READING/GB  
 CASTROL INTERNATIONAL, PANGBOURNE READING/GB  
 CASTROL INTERNATIONAL, PANGBOURNE READING/GB  
 CEPSA LUBRICANTS S.A., MADRID/E  
 CEPSA LUBRICANTS S.A., MADRID/E  
 CHEVRON BRASIL LUBRIFICANTES LTDA., RIO DE J./BR  
 CHEVRONTEXACO, GHENT/B  
 CHEVRONTEXACO, GHENT/B  
 CYCLON HELLAS S.A., MAROUSSI ATHENS/GR  
 DE OLIEBRON B.V., ZWIJNDRECHT/NL  
 ENI S.P.A. REFINING & MARKETING DIVISION, ROME/I  
 EXXON MOBIL CORPORATION, FAIRFAX, VIRGINIA/USA  
 EXXON MOBIL CORPORATION, FAIRFAX, VIRGINIA/USA  
 FABRIKA MAZIVA FAM A.D, KRUEVAC/SRB  
 FUCHS PETROLUB AG, MANNHEIM/D  
 GENOL GMBH & CO., WIEN/A  
 HANDEL MIJ NOVIOL B.V., NIJMEGEN/NL  
 HYDROTEX, CARROLLTON, TEXAS/USA  
 KOCAK PETROL URUNLERI SAN LTD., KOCAELI/TR  
 KRAFFT S.L., ANDOAIN/E  
 LIQUI MOLY GMBH, ULM/D  
 MAZIVA ZAGREB D.O.O, ZAGREB/HR  
 MEGUIN GMBH & CO. KG MINERALOELWERKE, SAARLOUIS/D  
 MORRIS LUBRICANTS, SHREWSBURY/GB  
 MOTUL SA, AUBERVILLIERS CEDEX/F  
 OMV REFINING & MARKETING GMBH, WIEN/A  
 OPET PETROLČULŪK A.S., IZMIR/TR  
 PAKELO MOTOR OIL S.R.L., SAN BONIFACIO (VR)/I  
 PANOLIN AG, MADETSWIL/CH  
 PARS OIL CO, TEHRAN/IR  
 PETROGAL S.A., LISBOA/P  
 PETRONAS LUBRICANTS BELGIUM NV, AARTSELAAR/B  
 PETRONAS LUBRICANTS BELGIUM NV, AARTSELAAR/B  
 POWER INTERNATIONAL CHEMICAL & OIL CORPORATION  
 RAVENSBERGER SCHMIERSTOFFVERTRIEB GMBH, WERTHER/D  
 REPSOL YPF LUBRICANTES Y ESPECIALIDADES, MADRID/E  
 REPSOL YPF LUBRICANTES Y ESPECIALIDADES, MADRID/E  
 SHELL INTERNATIONAL PETROLEUM COMP LTD, LONDON/GB  
 SHELL INTERNATIONAL PETROLEUM COMP LTD, LONDON/GB  
 TEDEX PRODUCTION SP.Z.O.O., TOMASZOW MAZOWIECKI/PL  
 TOTAL LUBRIFIANTS S.A., PARIS/F  
 TOTAL LUBRIFIANTS S.A., PARIS/F  
 TOTAL LUBRIFIANTS S.A., PARIS/F  
 TOTAL LUBRIFIANTS S.A., PARIS/F  
 UNIL OPAL, SAUMUR CEDEX/F  
 VALVOLINE EUROPE, DORDRECHT/NL  
 YPF S.A., ENSAENADA/RA

#### Trade name (11A)

ACPA ATF DEX IID  
 AGIP ATF D 309  
 AMOC POWER (D-21611)  
 AMALIE ATF DEXRON II  
 SUPER OIL ATF II  
 ARAL GETRIEBEOL ATF 22  
 AVIA FLUID ATF 86  
 ATF GM  
 BP AUTRAN MBX  
 MOTOREX ATF SUPER  
 CASTROL ATF DEX II MULTIVEHICLE  
 CASTROL TQ-D  
 CASTROL TQ-D (22256)  
 CEPSA ATF 70  
 ERTOIL TRANSMISIONES AUTOMATICAS D2  
 TEXAMATIC B  
 TEXAMATIC 4291  
 TEXAMATIC 9226  
 ATF TYPE D  
 TOR ATF 289  
 AGIP ATF II D  
 ESSO ATF D2  
 MOBIL ATF 220  
 ATF D II SAE 75W  
 TITAN ATF 3000 CHINA  
 GENOL ATF MULTIFLUID  
 KENDALL ATF DEXRON II D  
 HY-TORQUE Z (ATF)  
 SPEEDOL ATF DEXRON II  
 ATF D-21247 SAE 10W  
 LIQUI MOLY ATF DEXRON IID  
 INA ATF SUPER  
 MEGOL HYDRAULIKOEL ATF DEXRON II D  
 LIQUIMATIC D II  
 MOTUL DEXRON II D  
 OMV ATF D II (D22427)  
 ATF DEXRON II  
 PAKELO MULTIPURPOSE TRANSMISSION FLUID II D  
 PANOLIN ATF MULTI 21996  
 PARS ENTEGHAL AUTOMATIC  
 GALP TRANSMATIC D II  
 SUNAMATIC 149  
 SUNAMATIC 153  
 KA NASA KEN  
 RAVENOL AUTOM.-GETR.-OEL DEXRON D II  
 HIDRO ATF  
 MATIC ATF  
 SHELL DONAX TA  
 SHELL SPIRAX S2 ATF AX  
 TEDEX ATF II D  
 FINAMATIC II D  
 GULF ATF D II D  
 TOTAL FLUIDE ATX  
 TOTAL FLUIDE II D  
 MATIC D  
 VALVOLINE ATF TYPE D  
 HIDRO ATF

## Lubricant class 11B

### Automatic Transmission Fluid (ATF)

#### Manufacturer (11B)

ADDINOL LUBE OIL GMBH, LEUNA/D  
 AGIP SCHMIERTECHNIK GMBH, WÜRZBURG/D  
 AMALIE PETROQUIMICA, SL, MADRID/E  
 ARAL AG, BOCHUM/D  
 BP INTERNATIONAL, PANGBOURNE, READING/GB  
 CASTROL INTERNATIONAL, PANGBOURNE READING/GB  
 CASTROL INTERNATIONAL, PANGBOURNE READING/GB  
 DEUTSCHE PENTOSIN WERKE GMBH, WEDEL/D  
 DEUTSCHE PENTOSIN WERKE GMBH, WEDEL/D  
 ENI S.P.A. REFINING & MARKETING DIVISION, ROME/I  
 EXXON MOBIL CORPORATION, FAIRFAX, VIRGINIA/USA  
 EXXON MOBIL CORPORATION, FAIRFAX, VIRGINIA/USA  
 EXXON MOBIL CORPORATION, FAIRFAX, VIRGINIA/USA  
 KOMPRESSOL-OEL VERKAUFS GMBH, KÖLN/D  
 KUWAIT PETROLEUM R&T B.V., EUROPOORT RT/NL  
 MORRIS LUBRICANTS, SHREWSBURY/GB  
 OMV REFINING & MARKETING GMBH, WIEN/A  
 ORLEN OIL SP. Z O.O., KRAKOW/PL  
 PANOLIN AG, MADETSWIL/CH  
 REPSOL YPF LUBRICANTES Y ESPECIALIDADES, MADRID/E  
 TOTAL LUBRIFIANTS S.A., PARIS/F  
 TOTAL LUBRIFIANTS S.A., PARIS/F  
 YACCO, ST PIERRE LES ELBEUF/F  
 ZELLER + GMELIN GMBH & CO., EISLINGEN/D  
 ZF GETRIEBE GMBH, SAARBRÜCKEN/D

#### Trade name (11B)

ADDINOL ATF D III  
 AGIP DEXRON III  
 AMALIE ATF DEXRON III  
 ARAL GETRIEBEÖL ATF LD  
 BP AUTRAN LTF  
 CASTROL TRANSMAX LONG LIFE  
 CASTROL TRANSMAX Z  
 PENTOSIN ATF 1  
 PENTOSIN ATF TYP 2 D  
 AGIP DEXRON III  
 ESSO ATF D 21065  
 ESSO ATF LT 71141  
 MOBIL ATF D 21065  
 KOMPRESSOL-DEXRON SYNTH LTF  
 Q8 AUTO 15  
 LIQUIMATIC SUPER ATF  
 OMV ATF III  
 HIPOL ATF III  
 PANOLIN ATF DEXRON III  
 REPSOL ATF 3  
 FINAMATIC HP  
 TOTAL FLUIDE AT 42  
 YACCO ATF III  
 DIVINOL FLUID III G  
 ZF LIFEGUARDFLUID5