













The instruments in the BMW 5 Series are located directly in the driver's field of vision. Their glare-free design ensures clear visibility at all times.



The iDrive Controller is an integral part of the overall control concept, providing easy and intuitive access to most of the comfort functions within the BMW 5 Series.

Everything is in its place. Waiting for your touch.

Equipment | Exterior



□ Xenon headlights for low and high beam, with dynamic range control, provide much better illumination of the road ahead at night or in poor visibility.

☐ Adaptive headlights for improved visibility in bends: the adjustable headlights are directed into the bend as soon as the vehicle starts cornering.



☐ Headlight washing system ensures optimum brightness in all kinds of weather. When the lights are on, the headlights are automatically cleaned in parallel with the windscreen.



■ Light-alloy wheels trapezoidal-styling 134¹, 7 J x 16", 225/55 R16 tyres (standard on 523i, 525i, 530i, 525d and 530d).



 \Box Light-alloy wheels star-spoke 115¹, 7 Jx 16", 225/55 R 16 tyres (with wheel locking bolts).



 \Box Light-alloy wheels double-spoke 116 with runflat tyres, 7.5 J x 17", 225/50 R 17 tyres (with wheel locking bolts).



 \Box Light-alloy wheels star-spoke 138 with runflat tyres, 7.5 J x 17", 225/50 R 17 tyres (with wheel locking bolts).



 \Box Light-alloy wheels star-spoke 122 with runflat tyres, 8 J x 17", 245/45 R 17 tyres (with wheel locking bolts).



 \Box Light-alloy wheels star-spoke 123 with runflat tyres, 8 J x 18", 245/40 R 18 tyres (with wheel locking bolts).



 \Box Light-alloy wheels star-spoke 124 with runflat tyres and mixed tyres, 8 J x 18", 245/40 R 18 tyres at front, 9 J x 18", 275/35 R 18 tyres at rear (with wheel locking bolts).

Equipment | Interior



□ **Head-Up Display** shows the driver relevant information, such as the current speed. Other display data include direction arrows from the navigation system, active cruise control* functions and Check/Control data.



□ Navigation system Professional* with 8.8" colour display, navigation based on voice output and arrows or route map. Using the split-screen function, different functions such as radio and navigation can be displayed side by side.



■ Controller, the central iDrive control element (for use by driver and front passenger). This turn/press button enables intuitive control of a variety of functions shown on the Control Display. The menu system is based on the four compass directions and provides a choice of four individual menus: climate, communication, navigation and entertainment.



□ Active seats (for driver and front passenger) makes for relaxed sitting and driving on longer journeys. Pelvis and lumbar vertebrae are mobilised by alternating, cyclical up/down adjustments of the seat surface.



□ Preparation for mobile phone with Bluetooth interface (including hands-free system, connections for recharging and external aerial). A separately available snap-in adapter enables connection of a Bluetooth-compatible mobile phone which can be operated by voice control or by using the multifunction buttons on the steering wheel. For further information, please contact your BMW partner.



□ Sequential manual gearbox (SMG) enables sporty, rapid gear changes through all six gears via the steering wheel paddles or selector lever, without having to de-clutch. Press the Driving Dynamic Control button (sports mode) for faster engine response and optimised clutch and gearshift times. (Optional for 530i and 545i.)

$\textbf{Standard equipment} \; \mid \; \textbf{Optional equipment} \;$

Safety	523i	525i	530i	545i	525d	530d	535
Adaptive Headlights (in conjunction with Xenon headlights)							
Airbags:							
Airbags for driver and front passenger		-	-	-	-		
Head airbags front and rear		-	-	-	-	-	
Side airbags for driver and front passenger			-	-	-		
Side airbags for rear passengers incl. belt latch tensioners for left and right rear seats							
Narm system							
Brakes:							
Disc brakes at the front, inner-vented				•			
Disc brakes at the rear, inner-vented							
Bumper system, with replaceable crumple elements front and rear to absorb mpacts of up to 15 km/h. Reversible front elements absorb impacts up to 4 km/h without damage.	•	•	•	•	•	-	•
Central locking, locks doors, luggage compartment and fuel filler cap			-	-	-		
Dynamic Stability Control (DSC incl. ABS and DBC)							
Foglights with free-form reflector							
Headlight washing system							
ndividual sunscreen glass							
SOFIX child seat fastening system					-		
ight-alloy wheels with runflat tyres							
Park Distance Control (PDC) with visual and acoustic feedback							
Radio remote control for central locking system	_		_	_			
Rain sensor with automatic driving lights control		-		-	-		-
Runflat indicator				-			
Safety battery terminal		-		-			
Side impact protection, integrated					-		
Three-point seat belts for all seats, with pyrotechnic belt tensioners at the front				-			-
Kenon headlights for low and high beam, incl. automatic headlight range control	_	_	_	_	_	_	_
terior reading its for low and ring it beam, incl. automatic neading it range control							
Engine	523i	525i	530i	545i	525d	530d	535
i-cylinder in-line diesel engine with four-valve technology	_	_	_	_	- C_C_C_	•	-
i-cylinder in-line petrol engine with four-valve technology				_			
B-cylinder V petrol engine with four-valve technology							
Charge air cooling							_
Common Rail injection system							-
	_	-	-	_		-	_
Cylinder-specific knock control Diesel particle filter	-				_	-	_
		_	_	-			
Digital Diesel Electronics (DDE)		_			-	•	-
Digital Motor Electronics (DME)		-	-	-	_	_	
DISA – variable resonance induction system	•		•		_	_	_
DIVA – infinitely variable induction system	_	_	_	-	_	_	_
Oouble-VANOS	•		•	•	_	_	_
ingine mounts, hydraulically controlled	_	_	_	_	-	-	-
gnition, stationary high-tension distribution	_	-	-	-	_	_	_
ight-alloy cylinder head	-	-	-	-	-	•	-
ight-alloy engine block	•	-	•	•	-	_	-
On-board diagnosis	•	•	•	•	-	-	-
	•		-	•	_	_	-
Three-way catalytic converter, heated oxygen sensor, activated carbon filter, controlled tank purge	_	_	-	-	-	•	-
Turbocharger with variable, electronically-controlled turbine geometry							
			-	-	-	-	_

$\textbf{Standard equipment} \; \mid \; \textbf{Optional equipment} \;$

Combined	ltr/100 km	0 = 10 01						535d
		8.5 [9.3]	8.7 [9.4]	8.8 [9.3]	10.9 [10.6]	6.7 [7.8]	6.9 [7.8]	8.0
Combined, xDrive	ltr/100 km	-	9.6 [10.3]	9.7 [10.3]	-	-	-	-
CO ₂ emissions	g/km	205 [224]	210 [227]	212 [224]	264 [257]	179 [208]	184 [208]	211
CO ₂ emissions, xDrive	g/km	-	232 [249]	234 [249]	-	-	-	-
For more information on the official fuel consusenger cars, see the "Guidelines on fuel consus	· -				ns, and can be o , Helmut-Hirth-S		0	•

Transmission/suspension	523i	525i	530i	545i	525d	530d	535
6-speed automatic transmission with Steptronic							
6-speed manual gearbox		-	•	-	-	-	-
Active Steering ¹							
Aluminium integral rear axle		-	-	-	-	-	-
Double joint spring-strut front axle		-	-	-	-	-	
Dynamic Drive ¹							
Servotronic				-	-	-	-
Sequential manual gearbox (SMG) ¹	-	_			_	_	_
Sports suspension, lowered by 15 mm ¹							
xDrive	-			-	-	-	-
Interior features	523i	525i	530i	545i	525d	530d	535
Armrest at the front		-	-	-	-	-	_
Armrest at the front, moveable				-			
Automatic air conditioning		-	-	-	-	-	_
Automatic air conditioning with advanced functionality ²				-			
Auxiliary heating with remote control							
Central air outlet, rear		-	•	-	-	-	
Centre armrest, rear			•	-	-	-	-
Climate comfort laminated glass							
Control Display with 6.5" colour monitor		-	-	-	-	-	
Controller on centre console		-	•	-	-	-	-
Courtesy lights with automatic function and soft on/off dimming		-	-	-	-	-	
Cruise control		-	•	-	-	-	
Cruise control, active							
Cupholders front							
Foot mats in velour		-	-	-	-	-	-
Glass sliding/vent roof, electric							
Glove compartment, lockable and illuminated		-	•	-	-	-	-
Green-tinted windows, all-round		-	•	-	-	-	-
Head-Up Display							
Interior and exterior mirrors with automatic anti-glare function							
Interior mirror with automatic anti-glare function							
Interior trim:							
– Fine-wood trim Maple wood Sycamore Anthracite, high-gloss 4				•			
- Fine-wood trim Poplar grain Brown, high-gloss 4							
- Fine-wood trim Poplar grain Light, high-gloss 4							
– Polished aluminium							
– Titanium II, Dark		-	-	_	-	-	_
Leather sports steering wheel							
Leather steering wheel, three-spokes, with multifunction buttons			-				

$\textbf{Standard equipment} \; | \; \textbf{Optional equipment} \;$

nterior features	523i	525i	530i	545i	525d	530d	535
LIGHTS ON" warning				-	-	-	
.ights package, incl. entry area illumination integrated in exterior mirrors and additional lumination of functional areas in the interior				•			
uggage compartment, volume of approx. 520 ltr	-	-	-	-	-	-	-
lavigation system*:							
Business, incl. BMW Professional radio ¹							
Professional, incl. 8.8-inch colour monitor and voice control ¹							
TV function, supports analogue and digital reception							
lon-smoker package	-	-	-	-	-	-	-
On-board computer	-	-	-	_	-	-	_
On-board computer with extended features				-			-
Outside temperature display		-	-	-	-	-	-
Radio/audio:							
BMW Business radio with CD drive		-	-			-	
BMW Professional radio with CD drive							
CD changer (six CDs)							
HiFi loudspeaker system							
HiFi System Professional LOGIC7							
Reading lights front and rear						-	
Roof liner in Anthracite							
Seats/seat comfort:							
Active seats for driver and front passenger							
Active seat ventilation for driver and front passenger							
Comfort seats for driver and front passenger, with electric seat adjustment							
Lumbar support for driver and front passenger							
Pockets on front-seat backrests		_					
Seat adjustment, electric, with memory function for driver's seat							
Seat heating for driver and front passenger							
Seat heating for left and right rear seats				_			
Sports seats for driver and front passenger, with electric adjustment for backrest angle and seat height							
Standard seats with electric seat adjustment for backrest angle and seat height	_	•	■	_	_		_
Smoker package	_	_	_		_	_	_
Steering column adjustment, electric, for length and height				•			_
Steering column adjustment, manual, for length and height	_		•	-	_		_
Steering wheel heating	_	_	_	_	_	_	_
Sun blind for rear window, electric							
Gun blinds for rear window, electric, and rear side windows, mechanical							
Telephones: Mobile phone preparation with Bluetooth interface ²							
Through-loading system incl. ski bag							
Jniversal garage door opener							
Jpholstery:							
Cloth/leather combination							
Dakota leather ²							
Exclusive leather ²							
Flat-weave cloth	-	-	-	_	-	-	-
Nasca leather ²							
Varning triangle and first-aid kit	•	-	•	•	•	•	•
Vindow lifts, electric, pull/press switch with open/close fingertip control	•	-	-	•	-	-	-


Standard equipment | Optional equipment

Exteriorfeatures	523i	525i	530i	545i	525d	530d	5350
Advantage package, includes Xenon headlights, headlight washing system, automatic air conditioning with extended features, moveable armrest at the front, PDC, seat heating at the front		-	-	-		_	-
Bumpers in body colour		-	-	-		-	
Door handles in body colour		-	-	-	•	-	-
Exterior mirrors, aspheric, electrically adjustable and heated		-	-	-		-	-
Front doors with three-stage door brake		-	-	-	-	-	-
ndicators in white		-	-	-		-	
uggage compartment lid with radio key opening			-	-		-	-
Metallic paintwork							
Model designation, deletion (no additional cost)							
M sports package¹, includes special aerodynamics package, light-alloy double-spoke I 35M wheels or (optional) 172M wheels, sports seats for driver and front passenger, M leather steering wheel with multifunction buttons							
Ornamental front grille with vertical slats in Black and chrome surround		•	-	_	•	-	
Ornamental front grille with vertical slats in Chrome and chrome surround	-	-	_	-	-	-	_
Rear doors with two-stage door brake		-	-	-	•	-	•
Screenwasher nozzles on engine compartment lid, heated		-	-	-		-	•
Satin Chrome							
Frailer tow hitch with removable ball head							
Twin-tone horn		-	-	-	-	-	
Nheels:							
- Light-alloy wheels trapezoidal-styling 134, 16"1		-	-	_	-	-	_
- Light-alloy wheels star-spoke 115, 16"1				_			_
- Light-alloy wheels double-spoke 116, 17"	_	_	_	-	_	_	_
- Light-alloy wheels double-spoke 116 with runflat tyres, 17"1,2							
- Light-alloy wheels star-spoke 138, 17" ³	_	_	_	_	_	_	•
- Light-alloy wheels star-spoke 138 with runflat tyres, 17"2							
- Light-alloy wheels star-spoke 122 with runflat tyres, 17"2							
- Light-alloy wheels star-spoke 123 with runflat tyres, 18"2							
- Light-alloy wheels star-spoke 124 with mixed runflat tyres, 18"2							
- Spare wheel for emergency use		-	-	-	-	-	
Nindow frames and window recess finishers in Chrome		-	-	-	-	-	
Nindscreen with green stripe							

Specifications | Technical data

Weight		523i	525i	530i	545i	525d	530d	535d ¹
Unladen, EU²	kg	1545 [1565]	1550 [1570]	1565 [1575]	1705 [1710]	1660 [1670]	1670 [1685]	1735
Unladen, EU 2 , xDrive	kg	-	1665 [1680]	1665 [1680]	-	-	_	-
Max permissible	kg	2010 [2030]	2035 [2055]	2050 [2060]	2190 [2195]	2145 [2155]	2155 [2170]	2220
Max permissible, xDrive	kg	-	2150 [2165]	2150 [2165]	-	-	_	-
Permitted load	kg	540	560	560	560	560	560	560
Permitted axle load, front/rear	kg	980/1150	980/1150	980/1150	1050/1215	1050/1180	1050/1180	1070/1275
Permitted roof load	kg	100	100	100	100	100	100	100
Permitted trailer load, unbraked ³	kg	750	750	750	750	750	750	750
Permitted trailer load, braked, max. 12% gradient ³	kg	1600 [1800]	1800 [2000]	2000	2000	2000	2000	2000
Permitted trailer load, braked, max. 8% gradient ³	kg	1800	2000	2000	2000	2000	2000	2000
Engine ⁴		523i	525i	530i	545i	525d	530d	535d
Cylinders/valves		6/4	6/4	6/4	8/4	6/4	6/4	6/4
Capacity	СС	2497	2497	2996	4398	2497	2993	2993
Stroke/bore	mm	78.8/82.0	78.8/82.0	88.0/85.0	82.7/92.0	75.1/84.0	90.0/84.0	90.0/84.0
Max. output			160/218/6500				160/218/4000	
Max. torque	Nm/lb-ft/rpm	230/155/3500	250/181/2750	300/221/2500	450/332/3600	400/295/2000	500/369/2000	560/413/200
Compression ratio	:1	11.0	11.0	10.7	10.0	17.0	17.0	16.5
Transmission⁵		523i	525i	530i	545i	525d	530d	535d
Standard transmission ratios	I/II/III : 1	4.32/2.46/1.66	4.32/2.46/1.66	4.35/2.50/1.67	4.06/2.40/1.58	5.08/2.80/1.78	5.08/2.80/1.78	4.17/2.34/1.5
	IV/V/VI:1	1.23/1.0/0.85	1.23/1.0/0.85	1.23/1.0/0.85	1.19/1.0/0.87	1.26/1.0/0.84	1.26/1.0/0.84	1.14/0.87/0.6
	R:1	3.94	3.94	3.93	3.68	4.61	4.61	3.40
Final drive ratio (xDrive)	:1	3.23	3.38 (3.46)	3.23 (3.23)	2.93	2.56	2.47	2.56
Performance		523i	525i	530i	545i	525d	530d	535d
Top speed	km/h	235 [232]	245 [242]	250 6 [250 6]	250 6	230 [227]	245 [243]	250 6
Top speed, xDrive	km/h	-	237 [232]	250 6 [248]	-	-	-	-
Acceleration 0–100 km/h	sec	8.5 [9.3]	7.5 [7.9]	6.5 [6.7]	5.8 [5.9]	8.1 [8.3]	7.1 [7.3]	6.5
Acceleration 0–100 km/h, xDrive	sec	-	8.3 [8.4]	6.8 [7.1]	-	-	-	-
Acceleration 80–120 km/h in 4th/5th gear (manual tran	smission) sec	9.4/–	7.9/–	6.6/–	5.8/–	6.5/8.1	5.4/6.7	-
Acceleration 80–120 km/h in 4th/5th gear (xDrive all-wheel drive with manual transmission)	sec	-	8.8	7.2	-	-	-	-
Fuel consumption ⁷		523i	525i	530i	545i	525d	530d	535d
Urban	ltr/100 km	12.1 [13.4]	12.4 [13.5]	12.6 [13.6]	16.3 [15.8]	9.3 [10.6]	9.5 [10.8]	10.9
Urban, xDrive	ltr/100 km	-	13.7 [14.8]	13.6 [14.4]	-	-	-	-
Extra-urban	ltr/100 km	6.4 [6.9]	6.5 [7.0]	6.6 [6.8]	7.9 [7.7]	5.3 [6.2]	5.5 [6.1]	6.3
Extra-urban, xDrive	ltr/100 km	-	7.2 [7.7]	7.4 [7.9]	-	-	-	-
Combined	ltr/100 km	8.5 [9.3]	8.7 [9.4]	8.8 [9.3]	10.9 [10.6]	6.7 [7.8]	6.9 [7.8]	8.0
Combined, xDrive	Itr/100 km	-	9.6 [10.3]	9.7 [10.3]	-	-	-	-
CO ₂ emissions	g/km	205 [224]	210 [227]	212 [224]	264 [257]	179 [208]	184 [208]	211
CO ₂ emissions, xDrive	g/km	-	232 [249]	234 [249]	-	-	-	-
Tank capacity, approx.	ltr	70	70	70	70	70	70	70
Wheels		523i	525i ⁸	530i ⁸	545i	525d	530d	535d
Tyre dimensions		225/55 R 16 V	225/55 R 16 W	225/55 R 16 W	225/50 R 17 W	225/55 R 16 W	225/55 R 16 W	225/50 R 17
Wheel dimensions		7 J x 16	7 J x 16	7 J x 16	7.5 J x 17	7Jx16	7 J x 16	7.5 J x 17
Material		Light-alloy	Light-alloy	Light-alloy	Light-alloy	Light-alloy	Light-alloy	Light-alloy
Electrical system		523i	525i	530i	545i	525d	530d	535d
Battery capacity	Ah	80	80	80	90	90	90	90
Alternator output	А	155	155	155	170	170	170	170

Specifications | **Technical data**



All dimensions in millimetres. Luggage compartment capacity (as per VDA standard): 520 litres (18.4 $\rm cu\,ft)$.

Values in [] apply to vehicles with six-speed automatic transmission.

- ¹ Only available with automatic transmission.
- ² The figure quoted includes a 90 per cent tank filling, 68 kg for the driver and 7 kg for luggage. Unladen weight applies to vehicles with standard equipment. Optional equipment may increase this figure.
- 3 The overall weight of the trailer may not exceed the maximum permissible trailer load plus the maximum permissible towbar download of 90 kg.
- ⁴ The petrol engines are designed for RON 98 fuel. They may be run on fuel down to RON 91 with a slight decrease in engine power and an increase in fuel consumption.
- $^{\rm 5}$ Figures for manual gearbox (automatic gearbox for the 535d).
- ⁶ Electronically limited.

- ⁷ All engines in the BMW 5 Series meet the EU4 emissions standard. The diesel models are equipped with particle filters. Fuel consumption is determined in accordance with the ECE driving cycle made up of approximately one third urban traffic and two thirds extra-urban driving (based on the distance covered). CO₂ emissions are measured in addition to fuel consumption.
- ⁸ Takes 225/50 R 17 W tyres in conjunction with xDrive.
- ⁹ Total height of vehicles with xDrive: 1482 mm.e distance covered). CO₂ emissions are measured in addition to fuel consumption.

The models illustrated in this brochure show the specifications for the **German** market. In part, they include optional equipment and accessories not fitted as standard. According to the specific requirements of other markets, alterations in models, standard and optional equipment, as described in the text and illustrations, may occur. For precise information, please contact your BMW partner.

Subject to change in design and equipment. Subject to error.

 $@ \textbf{ BMW AG, Munich/Germany. Not to be reproduced wholly or in part without written permission of \textbf{BMW AG, Munich.}}\\$

BMW recommends @Castrol